



QUALITY GARDEN SHEDS AND WORKSHOPS



Important points to note:

- All buildings are fully guaranteed to be free from defects and faulty installation for a period of 12 months.
- We would like to remind customers that timber is an organic product, subject to naturally occurring changes that result from different environmental conditions i.e. changes in colour, surface, splits and shrinkage. We cannot accept responsibility for these natural changes.
- All base work is the responsibility of the customer, as is the safe securing
 of the building once installed. We require a level solid base, either paving
 slabs or concrete upon which to install your building.
- Pressure treated floor bearers laid on top of your prepared base, are an important and valuable option as they allow the circulation of air underneath the timber floor and help to keep it dry and sound.
- Please allow as much room as possible around the building for our fitters to work during installation.
- Our installers will need a clear access to carry building sections from the vehicle to your prepared base, with no height restrictions or tight, sharp corners to negotiate.
- Our installers cannot lift sections over fences more than 4' in height or over buildings such as garages. If the only access is through the house a straight run is required, many sections will not pass through doorways.
 Please advise us in advance if there are any difficulties regarding access.
- Always make allowance for any roof overhang when buildings have to go into confined spaces.
- All of our deal and cedar buildings are treated with a good quality
 preservative on the inside, as well as the outside, prior to leaving the
 factory. We recommend that you re-treat your building at regular intervals
 to maintain the appearance and lifespan of your building.
- Cedar buildings have cedar windows, doors and external cladding only i.e. they have deal framing, floors, roofs and verandahs.
- With the exception of the Bewdley range, Toolstores and Logstores, all of our pressure treated buildings have the floor treated with a high quality preservative for added protection.
- Ironmongery is black japanned as standard.
- 4mm toughened float glass (Bewdley range glazed with 3mm horticultural glass, playhouses glazed with safety acrylic).
- All roofs are protected with a layer of mineral felt unless otherwise stated, available in a choice of two colours.
- All timber sizes stated are finished sizes i.e. after machining.
- Please note that finished sizes can vary by plus or minus 1mm.
- All building dimensions shown in this brochure are approximate, based on external wall sizes.
- All timber used in the construction of our buildings originates from sustainable forests.
- As it is our policy to continually improve products, methods and materials, we reserve the right to change specifications from time to time, we will not make any significant variations without your agreement.











Quality Garden Sheds & Workshops

Welcome to the Malvern Collection range of sheds, workshops and storage buildings. These buildings offer you a wide range of stylish and practical solutions for your garden.

We are a family run business that was established in the early 1970s. All of our buildings are hand built to order by skilled craftsmen in our factory in Worcestershire, they are then delivered and installed by our own teams of experienced and skilled fitters.

We use only the best materials available. Our deal buildings are constructed using kiln dried slow grown pine from one of Sweden's top northern sawmills. Our cedar buildings are constructed using western red kiln dried clear grade cedar.


Our sheds are renowned for strength, longevity and finished to the highest standards. With our extensive range and versatility in design, size and finish, we can provide you with a shed that can complement your garden and meet your exact requirements.

Many manufacturers claim their garden buildings are built to the highest standard and quality, however we strongly recommend that you visit our sheds on display at over fifty of the UK's top show sites, where you can compare the quality, strength, materials and workmanship of a 'Malvern Collection' building!


Thank you for taking the time to look through our brochure.

the Stanford

Superior workshops & storage rooms offering unrivalled quality with









Standard Features


- All ridge heights under 2.5m
- Heavy duty framework throughout
- Additional diagonal framework for extra rigidity & strength
- 19mm heavy duty pressure treated floor
- Pressure treated floor joists
- Tongue & groove timber roof and floor
- 38kg heavy duty bitumen felt Fully framed, ledged and braced single door
- 3 lever mortice lock
- 3 heavy duty antique style hinges per door
- Security screws fitted to hinges
- 18" roof overhang above doors
- Joinery made fixed and lockable opening windows
- High quality timber treatment applied throughout prior to delivery (floor only on pressure treated deal models)
- A wide range of sizes to choose from see price list


- A choice of six cladding styles
- Medium oak aquastain finish
- Coloured painted finish
- Bitumen roof felt tiles
- Pressure treated timber slatted roof
- Cedar slatted roof
- Pressure treated cedar shingle roof
- Tongue and groove lining plus insulation
- Georgian style windows
- Logstore
- Heavy duty workbench
- Double door upgrade





the **Holt**

many different options in style and finish









Standard Features

- All ridge heights under 2.5m
- Heavy duty framework throughout
- Additional diagonal framework for extra rigidity & strength
- 19mm heavy duty pressure treated floor
- Pressure treated floor joists
- Tongue & groove timber roof and floor
- 38kg heavy duty bitumen felt
- Fully framed, ledged and braced single door
- 3 lever mortice lock
- · 3 heavy duty antique style hinges per door
- · Security screws fitted to hinges
- Joinery made fixed and lockable opening windows
- High quality timber treatment applied throughout prior to delivery (floor only on pressure treated deal models)
- A wide range of sizes to choose from see price list

- A choice of six cladding styles
- · Medium oak aquastain finish
- Coloured painted finish
- · Bitumen roof felt tiles (Apex model only)
- Pressure treated timber slatted roof (Apex model only)
- Cedar slatted roof (Apex model only)
- · Pressure treated cedar shingle roof (Apex model only)
- Tongue and groove lining plus insulation
- · Georgian style windows
- · Integral Tidystore conversion
- Heavy duty workbench
- Double door upgrade



the Malvern Apex

Quality heavy duty apex sheds & workshops









Standard Features

- All ridge heights under 2.5m
- · Heavy duty framing throughout
- Additional diagonal framework for extra rigidity & strength
- Joinery made opening and fixed windows
- Fully framed, ledged & braced door
- Door with built-in 3 lever mortice lock
- 3 heavy duty 'antique' style hinges per door
- Tongue & groove timber roof and floor
- · Toughened glass
- High quality timber treatment applied throughout prior to delivery (floor only on pressure treated deal models)
- · A wide range of sizes to choose from see price list

- A choice of five tongue & groove cladding styles
- · Pressure treated solid timber slatted roof
- Cedar slatted roof
- · 19mm heavy duty pressure treated deal floor
- · Heavy duty workbench
- · Double doors on 8' wide models and above
- Stable door
- Security pack for door
- · A set of pressure treated floor bearers




the Malvern Pent

Quality heavy duty pent sheds & workshops










Standard Features

- · Below 2.5m in height
- · Heavy duty framing throughout
- Additional diagonal framework for extra rigidity & strength
- · Joinery made opening and fixed windows
- · Fully framed, ledged & braced door
- · Door with built-in 3 lever mortice lock
- 3 heavy duty 'antique' style hinges per door
- Tongue & groove timber roof and floor
- · Toughened glass
- High quality timber treatment applied throughout prior to delivery (floor only on pressure treated deal models)
- A wide range of sizes to choose from see price list

- A choice of five tongue & groove cladding styles to choose from
- · 19mm heavy duty presure treated deal floor
- · Heavy duty workbench
- · Double doors on 8' wide models and above
- Stable door
- · Security pack for door
- Choice of door positions: left of front, right of front, left hand end and right hand end
- A set of pressure treated floor bearers



the **Ludlow**






Standard Features

- All ridge heights under 2.5m
- Heavy duty framing throughout
- Additional diagonal framework for extra rigidity & strength
- Joinery made opening and fixed Georgian style windows
- Fully framed, ledged & braced door
- Door with built-in 3 lever mortice lock
- 3 heavy duty 'antique' style hinges per door
- Tongue & groove timber roof and floor
- Toughened glass
- High quality timber treatment applied throughout prior to delivery (floor only on pressure treated deal models)
- A wide range of sizes to choose from see price list

Options Available

- A choice of five tongue & groove cladding styles
- Pressure treated solid timber slatted roof
- Cedar slatted roof
- 19mm heavy duty pressure treated deal floor
- Heavy duty workbench
- Stable door
- · A set of pressure treated floor bearers

the Solar




Standard Features


- Heavy duty framework throughout
- Tongue & groove timber roof and floor
- Fully framed, ledged & braced door
- 3 heavy duty hinges per door
- Heavy duty staging under windows
- One opening vent window to the front
- Side windows
- Toughened glass
- Front roof overhang
- High quality timber treatment applied throughout prior to delivery (floor only on pressure treated deal models)
- Six sizes to choose from


- A choice of five tongue & groove cladding styles
- 19mm heavy duty pressure treated deal floor
- Stable door
- A set of pressure treated floor bearers


the **Bewdley**

Traditional apex, pent & corner roof styles sheds









Standard features

- · All ridge heights under 2.5m
- Single door
- · Fixed windows (quantity dependent on size and model)
- Padbolt door catch
- · 3 door hinges per door for extra strength
- · Turn button top and bottom of door
- · Tongue & groove timber roof and floor
- High quality timber treatment applied throughout prior to delivery (deal models only)
- · A wide range of sizes to choose from see price list

- Toughened Glass
- Double doors (excluding corner shed)
- Pent sheds have four possible door positions:
 Left of front as shown below, right of front,
 left hand end and right hand end
- · A set of pressure treated floor bearers
- Pressure treated cladding

the Toolstore





Standard Features

- Tongue & groove timber roof and floor
- Double doors on the 6' wide model and single door on the 4' wide model
- Padbolt door catch
- High quality timber treatment applied throughout prior to delivery (deal models only)

Options Available

- · A choice of 2 tongue & groove cladding styles
- Pressure treated floor bearers
- 2 sizes available

the **Logstore**





Standard Features

- · Pressure treated timber slatted roof
- · Pressure treated timber throughout
- · Slatted floor to aid circulation of air

- · Pressure treated floor bearers
- 2 sizes available



Playhouses

the Lodge



the Playhouse



the Superden



the Playden



Standard Features

- · The Superden has a 2' verandah
- The Lodge has a 2'6" verandah
- · The Playhouse has a side door
- The Lodge and Playhouse have an integral loft and ladder
- · All windows are glazed with safety acrylic
- · Stable door
- All children's playhouses come with piano style door hinges, angled to leave a gap when shut. Also with a gap between stable doors, to prevent fingers getting trapped and rounded fascia boards
- Please note the 6' wide Playhouse and Lodge do not have the single window next to the front door
- High quality timber treatment applied throughout prior to delivery

- Optional side door (Lodge only)
- Chimney
- · Red, green, blue, yellow or pink paint pack
- Pressure treated floor bearers









QUALITY GARDEN BUILDINGS